

# SAFETY DATA SHEET

## GARDX STAGE1

### 1 IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND COMPANY/UNDERTAKING

<b>PRODUCT NAME</b>	GARDX STAGE1
<b>PRODUCT NO.</b>	ATTS01
<b>SUPPLIER</b>	GARDX PROTECTION LTD UNIT 1 LOCKYER COURT INMANS LANE PETERSFIELD HANTS GU32 2NA 01730 710220

### 2 COMPOSITION/INFORMATION ON INGREDIENTS

Name	EC No.	CAS-No.	Content	Classification
WHITE SPIRIT	265-185-4	64742-82-1	60-100%	Xn;R65. N;R51/53. R10,R66.

The Full Text for all R-Phrases are Displayed in Section 16

### 3 HAZARDS IDENTIFICATION

Flammable. Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment. Repeated exposure may cause skin dryness or cracking. Harmful: may cause lung damage if swallowed.

**CLASSIFICATION** Xn;R65. N;R51/53. R10, R66.

### 4 FIRST-AID MEASURES

#### INHALATION

Move the exposed person to fresh air at once. Keep the affected person warm and at rest. Get prompt medical attention.

#### INGESTION

Rinse mouth thoroughly. DO NOT INDUCE VOMITING! Get medical attention immediately!

#### SKIN CONTACT

Wash skin with soap and water.

#### EYE CONTACT

Promptly wash eyes with plenty of water while lifting the eye lids. Continue to rinse for at least 15 minutes. Contact physician if discomfort continues.

### 5 FIRE-FIGHTING MEASURES

#### EXTINGUISHING MEDIA

Fire can be extinguished using: Foam, carbon dioxide or dry powder.

### 6 ACCIDENTAL RELEASE MEASURES

#### SPILL CLEAN UP METHODS

Provide ventilation and confine spill. Do not allow runoff to sewer. Extinguish all ignition sources. Avoid sparks, flames, heat and smoking. Ventilate. Collect with absorbent, non-combustible material into suitable containers.

### 7 HANDLING AND STORAGE

#### USAGE PRECAUTIONS

Keep away from heat, sparks and open flame.

#### STORAGE PRECAUTIONS

Store at moderate temperatures in dry, well ventilated area.

### 8 EXPOSURE CONTROLS/PERSONAL PROTECTION

Name	Std	LT - ppm	LT - mg/m3	ST - ppm	ST - mg/m3
WHITE SPIRIT	WEL		600 mg/m3		

#### HAND PROTECTION

Chemical resistant gloves required for prolonged or repeated contact. Use protective gloves made of: Rubber, neoprene or PVC.

# GARDX STAGE1

## EYE PROTECTION

Wear approved chemical safety goggles where eye exposure is reasonably probable.

## 9 PHYSICAL AND CHEMICAL PROPERTIES

APPEARANCE	Liquid	FLASH POINT (°C)	42 P/M Pensky-Martens.
COLOUR	Colourless		
ODOUR	Pleasant, agreeable.		
RELATIVE DENSITY	0.80		

## 10 STABILITY AND REACTIVITY

### STABILITY

Stable under normal temperature conditions. Avoid: Heat, sparks, flames.

## 11 TOXICOLOGICAL INFORMATION

### MEDICAL SYMPTOMS

EYES AND MUCOUS MEMBRANES. Irritation of eyes and mucous membranes. NOSE. Irritation of nose due to vapour or dust contact. DIGESTIVE SYSTEM. Gastrointestinal symptoms, including upset stomach. SKIN. Skin irritation. RESPIRATORY SYSTEM. Upper respiratory irritation. MOUTH AND THROAT. Sore throat.

## 12 ECOLOGICAL INFORMATION

### ECOTOXICITY

Dangerous for the environment if discharged into watercourses.

## 13 DISPOSAL CONSIDERATIONS

### DISPOSAL METHODS

Dispose of waste and residues in accordance with local authority requirements.

## 14 TRANSPORT INFORMATION



UN NO. ROAD	1993	ADR CLASS NO.	3.3
ADR PACK GROUP	3	UN NO. SEA	1993
IMDG PAGE NO.	3345	UN NO. AIR	1993

## 15 REGULATORY INFORMATION

### LABELLING



Harmful



Dangerous for the environment

### CONTAINS

WHITE SPIRIT

### RISK PHRASES

R10	Flammable.
R51/53	Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.
R66	Repeated exposure may cause skin dryness or cracking.
R65	Harmful: may cause lung damage if swallowed.

### SAFETY PHRASES

S35	This material and its container must be disposed of in a safe way.
S37	Wear suitable gloves.
S51	Use only in well-ventilated areas.
S61	Avoid release to the environment. Refer to special instructions/safety data sheets.

# GARDX STAGE1

S62	If swallowed, do not induce vomiting: seek medical advice immediately and show this container or label.
S2	Keep out of the reach of children

## 16 OTHER INFORMATION

### GENERAL INFORMATION

This preparation requires a formal COSHH assessment which should ensure that employees are aware of the hazards/precautions detailed in this data sheet. The COSHH assessment should also ensure that recommended safety equipment is available and, where applicable, the exposure limits detailed in section 8 are not being exceeded.

REVISION DATE 24/11/05

### RISK PHRASES IN FULL

R10	Flammable.
R51/53	Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.
R65	Harmful: may cause lung damage if swallowed.
R66	Repeated exposure may cause skin dryness or cracking.

### DISCLAIMER

This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process. Such information is, to the best of the company's knowledge and belief, accurate and reliable as of the date indicated. However, no warranty guarantee or representation is made to its accuracy, reliability or completeness. It is the user's responsibility to satisfy himself as to the suitability of such information for his own particular use.