

SAFETY DATA SHEET

GARDX LEATHER GUARD

1 IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND COMPANY/UNDERTAKING

PRODUCT NAME GARDX LEATHER GUARD
PRODUCT NO. A0720
SUPPLIER GARDX PROTECTION LTD
UNIT 1 LOCKYER COURT
INMANS LANE
PETERSFIELD
HANTS
GU32 2NA
01730 710220

2 COMPOSITION/INFORMATION ON INGREDIENTS

| Name | EC No. | CAS-No. | Content | Classification |
|------------------------|--------------|------------|---------|----------------------------|
| HYDROCARBON PROPELLANT | 649-202-00-6 | 68476-85-7 | 10-30% | F+;R12. |
| WHITE SPIRIT | 265-185-4 | 64742-82-1 | 10-30% | Xn;R65. N;R51/53. R10,R66. |
| ODOURLESS KEROSENE | 265-149-8 | 64742-47-8 | 5-10% | Xn;R65. R66. |
| PERFUME | | | 1-5% | N;R51/53. R43. |
| SODIUM NITRITE | 231-555-9 | 7632-00-0 | 0-1% | O;R8 T;R25 N;R50 |

The Full Text for all R-Phrases are Displayed in Section 16

COMPOSITION COMMENTS

Aerosol propelled by liquefied petroleum gas.

3 HAZARDS IDENTIFICATION

Harmful to aquatic organisms, may cause long-term adverse effects in the aquatic environment. Repeated exposure may cause skin dryness or cracking. Extremely flammable.

CLASSIFICATION F+;R12. R52/53, R66.

4 FIRST-AID MEASURES

INHALATION

If inhalation of vapours causes irritation or drowsiness, remove to fresh air.

INGESTION

Rinse mouth thoroughly. Get medical attention if any discomfort continues.

SKIN CONTACT

Wash the skin immediately with soap and water.

EYE CONTACT

Rinse the eye with water immediately. Get medical attention if any discomfort continues.

5 FIRE-FIGHTING MEASURES

EXTINGUISHING MEDIA

Foam, carbon dioxide or dry powder.

SPECIAL FIRE FIGHTING PROCEDURES

Breathing apparatus should be worn if exposure to fumes is likely. Use water to keep fire exposed containers cool and disperse vapours.

UNUSUAL FIRE & EXPLOSION HAZARDS

Possible risk of can rupture when exposed to fire/high temps. Contents of can will add to fuelling of fire Solvent vapours may form explosive mixtures with air.

6 ACCIDENTAL RELEASE MEASURES

SPILL CLEAN UP METHODS

Extinguish all ignition sources. Avoid sparks, flames, heat and smoking. Ventilate. Absorb material from ruptured or leaking containers onto an inert material. Transfer to suitable container for subsequent disposal.

7 HANDLING AND STORAGE

GARDX LEATHER GUARD

USAGE PRECAUTIONS

Keep away from heat, sparks and open flame. Avoid spilling, skin and eye contact. CAUTION. Pressurised container. Do not expose to temperatures exceeding 50°C Do not puncture or incinerate even when empty. Do not spray onto naked flame or incandescent material.

STORAGE PRECAUTIONS

Store in a cool dry place away from all sources of heat including direct sunlight.

8 EXPOSURE CONTROLS/PERSONAL PROTECTION

| Name | Std | LT - ppm | LT - mg/m3 | ST - ppm | ST - mg/m3 |
|------------------------|-----|----------|------------|----------|------------|
| WHITE SPIRIT | WEL | | 600 mg/m3 | | |
| ODOURLESS KEROSENE | WEL | | 1000 mg/m3 | | |
| HYDROCARBON PROPELLANT | WEL | 600 ppm | 1430 mg/m3 | 750 ppm | 1780 mg/m3 |

INGREDIENT COMMENTS

OES = Occupational Exposure Standard.

PROTECTIVE EQUIPMENT



9 PHYSICAL AND CHEMICAL PROPERTIES

APPEARANCE

Aerosol

10 STABILITY AND REACTIVITY

CONDITIONS TO AVOID

Avoid heat, flames and other sources of ignition.

MATERIALS TO AVOID

Strong oxidising substances.

HAZARDOUS DECOMPOSITION PRODUCTS

Fire or high temperatures create: Carbon monoxide (CO). Carbon dioxide (CO₂).

11 TOXICOLOGICAL INFORMATION

INHALATION

High concentrations of vapour may cause dizziness, nausea and headaches

INGESTION

May cause irritation of mouth, respiratory tract and intestinal system.

SKIN CONTACT

Prolonged or repeated exposure may cause severe irritation.

EYE CONTACT

May cause mild irritation or discomfort.

12 ECOLOGICAL INFORMATION

ECOTOXICITY

Harmful to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

13 DISPOSAL CONSIDERATIONS

DISPOSAL METHODS

Do not puncture or incinerate even when empty. Dispose of in accordance with local authority requirements.

14 TRANSPORT INFORMATION

GARDX LEATHER GUARD



| | | | |
|-------------------------|-------|-------------------|---|
| UN NO. ROAD | 1950 | ADR CLASS | Class 2: Gases COMPRESSED, LIQUIFIED OR DISSOLVED UNDER PRESSURE |
| CEFIC TEC(R) NO. | 20G53 | UN NO. SEA | 1950 |
| UN NO. AIR | 1950 | | |

15 REGULATORY INFORMATION

LABELLING



Extremely Flammable

CONTAINS

WHITE SPIRIT

RISK PHRASES

| | |
|--------|---|
| R12 | Extremely flammable. |
| R52/53 | Harmful to aquatic organisms, may cause long-term adverse effects in the aquatic environment. |
| R66 | Repeated exposure may cause skin dryness or cracking. |

SAFETY PHRASES

| | |
|-----|--|
| S2 | Keep out of the reach of children |
| S9 | Keep container in a well-ventilated place. |
| S16 | Keep away from sources of ignition - No smoking. |
| S37 | Wear suitable gloves. |
| S51 | Use only in well-ventilated areas. |
| S56 | Dispose of this material and its container to hazardous or special waste collection point. |

DETERGENT LABELLING

| | |
|----------|------------------------|
| 15-30% | Aliphatic hydrocarbons |
| < 5% | Perfumes |
| | Anionic surfactants |
| Contains | SODIUM BENZOATE |

16 OTHER INFORMATION

DATE 24/11/05

RISK PHRASES IN FULL

| | |
|--------|---|
| R10 | Flammable. |
| R12 | Extremely flammable. |
| R25 | Toxic if swallowed. |
| R43 | May cause sensitisation by skin contact. |
| R50 | Very toxic to aquatic organisms. |
| R51/53 | Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment. |
| R65 | Harmful: may cause lung damage if swallowed. |
| R66 | Repeated exposure may cause skin dryness or cracking. |
| R8 | Contact with combustible material may cause fire. |

DISCLAIMER

This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process. Such information is, to the best of the company's knowledge and belief, accurate and reliable as of the date indicated. However, no warranty guarantee or representation is made to its accuracy, reliability or completeness. It is the user's responsibility to satisfy himself as to the suitability of such information for his own particular use.