

# SAFETY DATA SHEET

## WASH & WAX

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1. Product identifier

**Product name** WASH & WAX  
**Internal identification** M392

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against

**Identified uses** Cleaning agent.  
**Uses advised against** Use only for intended applications.

#### 1.3. Details of the supplier of the safety data sheet

**Supplier** GARDX INTERNATIONAL LTD  
 UNIT 7 CLOVELLY BUSINESS PARK  
 CLOVELLY ROAD  
 SOUTHBOURNE, EMSWORTH  
 HANTS  
 PO10 8PE  
 +44 (0)1243 376426  
 product@gardx.co.uk

#### 1.4. Emergency telephone number

**Emergency telephone** (24 hrs) +44 (0) 777 8505 330

### SECTION 2: Hazards identification

#### 2.1. Classification of the substance or mixture

##### Classification (EC 1272/2008)

**Physical hazards** Not Classified  
**Health hazards** Skin Irrit. 2 - H315 Eye Dam. 1 - H318  
**Environmental hazards** Aquatic Chronic 3 - H412

#### 2.2. Label elements

##### Pictogram



**Signal word** Danger

**Hazard statements** H315 Causes skin irritation.  
 H318 Causes serious eye damage.  
 H412 Harmful to aquatic life with long lasting effects.

**Precautionary statements** P102 Keep out of reach of children.  
 P273 Avoid release to the environment.  
 P280 Wear protective gloves/ protective clothing/ eye protection/ face protection.  
 P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.  
 P310 Immediately call a POISON CENTER/ doctor.  
 P501 Dispose of contents/ container in accordance with national regulations.

## WASH & WAX

<b>Contains</b>	SODIUM DODECYL BENZENE SULPHONATE, Amides, C8-18 (even numbers) and C18-unsatd, N,N-bis(hydroxyethyl), Alcohols, C12-C14 (even numbered), ethoxylated<2.5EO, sulphates, sodium salts, COCO AMIDO PROPYL BETAINE
<b>Detergent labelling</b>	5 - < 15% anionic surfactants, < 5% amphoteric surfactants, < 5% non-ionic surfactants, < 5% perfumes, Contains BENZYL ALCOHOL, N-(3-aminopropyl)-N-dodecypropane-1,3-diamine, METHYLISOTHIAZOLINONE, 1,2-BENZOISOTHIAZOL-3(2H)-ONE, METHYL-2H or METHYL-4 (3:1) Mixture of EC NO 220-239-6

### 2.3. Other hazards

This product does not contain any substances classified as PBT or vPvB.

### SECTION 3: Composition/information on ingredients

#### 3.2. Mixtures

<b>SODIUM DODECYL BENZENE SULPHONATE</b>	<b>10-30%</b>
CAS number: 85117-50-6                      EC number: 285-600-2	
<b>Classification</b> Acute Tox. 4 - H302 Skin Irrit. 2 - H315 Eye Dam. 1 - H318	
<b>Amides, C8-18 (even numbers) and C18-unsatd, N,N-bis(hydroxyethyl)</b>	<b>1-5%</b>
CAS number: 68155-07-7                      EC number: 931-329-6                      REACH registration number: 01-2119490100-53-xxxx	
<b>Classification</b> Acute Tox. 4 - H312 Skin Irrit. 2 - H315 Eye Dam. 1 - H318 Aquatic Chronic 2 - H411	
<b>Alcohols, C12-C14 (even numbered), ethoxylated&lt;2.5EO, sulphates, sodium salts</b>	<b>1-5%</b>
CAS number: 68891-38-3                      EC number: 500-234-8                      REACH registration number: 01-2119488639-16-XXXX	
<b>Classification</b> Skin Irrit. 2 - H315 Eye Dam. 1 - H318 Aquatic Chronic 3 - H412	
<b>COCO AMIDO PROPYL BETAINE</b>	<b>1-5%</b>
CAS number: 61789-40-0                      EC number: 931-296-8                      REACH registration number: 01-2119488533-30-xxxx	
<b>Classification</b> Eye Dam. 1 - H318 Aquatic Chronic 3 - H412	

## WASH & WAX

<b>2,2'-IMINODIETHANOL</b>		<b>&lt;1%</b>
CAS number: 111-42-2	EC number: 203-868-0	REACH registration number: 01-2119488930-28-xxxx
<b>Classification</b>		
Acute Tox. 4 - H302		
Skin Irrit. 2 - H315		
Eye Dam. 1 - H318		
STOT RE 2 - H373		
<b>GLYCERINE</b>		<b>&lt;1%</b>
CAS number: 56-81-5	EC number: 200-289-5	REACH registration number: 01-2119471987-18-XXXX
<b>Classification</b>		
Not Classified		

The Full Text for all R-Phrases and Hazard Statements are Displayed in Section 16.

### SECTION 4: First aid measures

#### 4.1. Description of first aid measures

<b>General information</b>	Show this Safety Data Sheet to the medical personnel.
<b>Inhalation</b>	Move affected person to fresh air and keep warm and at rest in a position comfortable for breathing.
<b>Ingestion</b>	Rinse mouth thoroughly with water. Do not induce vomiting. Get medical attention if any discomfort continues.
<b>Skin contact</b>	Rinse with water.
<b>Eye contact</b>	Rinse immediately with plenty of water. Remove any contact lenses and open eyelids wide apart. Rinse cautiously with water for several minutes. Get medical attention immediately.

#### 4.2. Most important symptoms and effects, both acute and delayed

<b>Ingestion</b>	Gastrointestinal symptoms, including upset stomach.
<b>Skin contact</b>	Prolonged contact may cause redness, irritation and dry skin.
<b>Eye contact</b>	Causes serious eye damage.

#### 4.3. Indication of any immediate medical attention and special treatment needed

<b>Notes for the doctor</b>	Treat symptomatically.
-----------------------------	------------------------

### SECTION 5: Firefighting measures

#### 5.1. Extinguishing media

<b>Suitable extinguishing media</b>	Use fire-extinguishing media suitable for the surrounding fire.
-------------------------------------	---

#### 5.2. Special hazards arising from the substance or mixture

<b>Hazardous combustion products</b>	Thermal decomposition or combustion products may include the following substances: Ammonia or amines. Carbon monoxide (CO). Carbon dioxide (CO <sub>2</sub> ). Nitrous gases (NO <sub>x</sub> ). Sulphurous gases (SO <sub>x</sub> ).
--------------------------------------	---

#### 5.3. Advice for firefighters

## WASH & WAX

**Protective actions during firefighting** No specific firefighting precautions known.

### SECTION 6: Accidental release measures

#### 6.1. Personal precautions, protective equipment and emergency procedures

**Personal precautions** Wear suitable protective equipment, including gloves, goggles/face shield, respirator, boots, clothing or apron, as appropriate. Do not touch or walk into spilled material. Avoid contact with skin, eyes and clothing. Take care as floors and other surfaces may become slippery. Avoid contact with contaminated tools and objects. Wash thoroughly after dealing with a spillage.

#### 6.2. Environmental precautions

**Environmental precautions** Do not discharge into drains or watercourses or onto the ground.

#### 6.3. Methods and material for containment and cleaning up

**Methods for cleaning up** Wear suitable protective equipment, including gloves, goggles/face shield, respirator, boots, clothing or apron, as appropriate. Contain and absorb spillage with sand, earth or other non-combustible material. Collect and place in suitable waste disposal containers and seal securely. Containers with collected spillage must be properly labelled with correct contents and hazard symbol. Flush contaminated area with plenty of water. Wash thoroughly after dealing with a spillage.

#### 6.4. Reference to other sections

**Reference to other sections** Wear protective clothing as described in Section 8 of this safety data sheet.

### SECTION 7: Handling and storage

#### 7.1. Precautions for safe handling

**Usage precautions** Keep out of the reach of children. Wear suitable protective equipment, including gloves, goggles/face shield, respirator, boots, clothing or apron, as appropriate. Avoid contact with skin, eyes and clothing. Do not empty into drains. Do not reuse empty containers. Do not eat, drink or smoke when using this product. Wash skin thoroughly after handling.

#### 7.2. Conditions for safe storage, including any incompatibilities

**Storage precautions** Store at temperatures between 4°C and 40°C. Keep out of the reach of children.

**Storage class** Chemical storage.

#### 7.3. Specific end use(s)

**Specific end use(s)** The identified uses for this product are detailed in Section 1.2.

### SECTION 8: Exposure Controls/personal protection

#### 8.1. Control parameters

##### Occupational exposure limits

##### 2,2'-IMINODIETHANOL

Long-term exposure limit (8-hour TWA): WEL 3 ppm 13 mg/m<sup>3</sup>

##### GLYCERINE

Long-term exposure limit (8-hour TWA): WEL 10 mg/m<sup>3</sup>

WEL = Workplace Exposure Limit

Amides, C8-18 (even numbers) and C18-unsatd, N,N-bis(hydroxyethyl) (CAS: 68155-07-7)

## WASH & WAX

**DNEL** Industry - Dermal; Long term systemic effects: 4.16 mg/kg/day  
 Industry - Inhalation; Long term systemic effects: 73.4 mg/m<sup>3</sup>  
 Consumer - Dermal; Long term systemic effects: 2.5 mg/kg/day  
 Consumer - Inhalation; Long term systemic effects: 21.73 mg/m<sup>3</sup>  
 Consumer - Oral; Long term systemic effects: 6.25 mg/kg/day

**PNEC** - Fresh water; 0.007 mg/l  
 - Marine water; 0.0007 mg/l  
 - Intermittent release; 0.0024 mg/l  
 - STP; 830 mg/l  
 - Soil; 0.0348 mg/l  
 - Sediment (Freshwater); 0.195 mg/kg  
 - Sediment (Marinewater); 0.0195 mg/kg

### Alcohols, C12-C14 (even numbered), ethoxylated<2.5EO, sulphates, sodium salts (CAS: 68891-38-3)

**DNEL** Industry - Dermal; Long term : 2050 mg/kg/day  
 Industry - Inhalation; Long term : 175 mg/m<sup>3</sup>  
 Consumer - Oral; Long term : 15 mg/kg/day  
 Consumer - Dermal; Long term : 1650 mg/kg/day  
 Consumer - Inhalation; Long term : 52 mg/m<sup>3</sup>

**PNEC** - Fresh water; 0.24 mg/l  
 - Marine water; 0.024 mg/l  
 - Intermittent release; 0.071 mg/l  
 - Sediment (Freshwater); 5.45 mg/kg  
 - Sediment (Marinewater); 0.545 mg/kg  
 - Soil; 0.946 mg/kg  
 - STP; 10000 mg/l

### COCO AMIDO PROPYL BETAINE (CAS: 61789-40-0)

**DNEL** Industry - Dermal; Long term systemic effects: 12.5  
 Consumer - Dermal; Long term systemic effects: 7.5 mg/kg/day  
 Industry - Inhalation; Long term systemic effects: 44 mg/m<sup>3</sup>

**PNEC** - Fresh water; 0.0135 mg/l  
 - STP; 300 mg/l  
 - Soil; 0.8 mg/kg  
 - Sediment (Marinewater); 0.1 mg/kg  
 - Sediment (Freshwater); 1 mg/kg  
 - Marine water; 0.00135 mg/l

### 2,2'-IMINODIETHANOL (CAS: 111-42-2)

**DNEL** Workers - Inhalation; Long term local effects: 1.0 mg/m<sup>3</sup>  
 Workers - Dermal; Long term systemic effects: 0.13 mg/kg/day  
 General population - Inhalation; Long term local effects: 0.25 mg/m<sup>3</sup>  
 General population - Dermal; Long term systemic effects: 0.07 mg/kg/day  
 General population - Oral; Long term systemic effects: 0.06 mg/kg/day

## WASH & WAX

<b>PNEC</b>	<ul style="list-style-type: none"> <li>- Fresh water; 0.0022 mg/l</li> <li>- Marine water; 0.00022 mg/l</li> <li>- Intermittent release; 0.022 mg/l</li> <li>- STP; 100 mg/l</li> <li>- Sediment (Freshwater); 0.012 mg/kg</li> <li>- Sediment (Marinewater); 0.0012 mg/kg</li> <li>- Soil; 0.0011 mg/kg</li> </ul>
-------------	---

### GLYCERINE (CAS: 56-81-5)

<b>DNEL</b>	<p>Workers - Inhalation; Long term local effects: 56 mg/m<sup>3</sup></p> <p>General population - Inhalation; Long term local effects: 33 mg/m<sup>3</sup></p> <p>General population - Oral; Long term systemic effects: 229 mg/kg/day</p>
<b>PNEC</b>	<ul style="list-style-type: none"> <li>- Fresh water; 0.885 mg/l</li> <li>- Marine water; 0.0885 mg/l</li> <li>- Intermittent release; 8.85 mg/l</li> <li>- STP; 1000 mg/l</li> <li>- Sediment (Freshwater); 3.3 mg/kg</li> <li>- Sediment (Marinewater); 0.33 mg/kg</li> <li>- Soil; 0.141 mg/kg</li> </ul>

## 8.2. Exposure controls

### Protective equipment



#### Eye/face protection

Eyewear complying with an approved standard should be worn if a risk assessment indicates eye contact is possible. The following protection should be worn: Tight-fitting safety glasses. Personal protective equipment for eye and face protection should comply with European Standard EN166.

#### Hand protection

Chemical-resistant, impervious gloves complying with an approved standard should be worn if a risk assessment indicates skin contact is possible. The most suitable glove should be chosen in consultation with the glove supplier/manufacturer, who can provide information about the breakthrough time of the glove material. To protect hands from chemicals, gloves should comply with European Standard EN374. The selected gloves should have a breakthrough time of at least 4 hours. The breakthrough time for any glove material may be different for different glove manufacturers. When used with mixtures, the protection time of gloves cannot be accurately estimated. Considering the data specified by the glove manufacturer, check during use that the gloves are retaining their protective properties and change them as soon as any deterioration is detected. Glove thickness is not necessarily a good measure of glove resistance as the permeation rate will depend on the exact glove composition. The choice of protective gloves depends upon the chemicals being handled, and the conditions of work and use. Repeated exposure to chemicals will degrade the ability of the glove to provide resistance to chemicals. Specific work environments and material handling practices may vary, therefore safety procedures should be developed for each intended application. For work of short duration or where a high degree of manual dexterity is needed, use protective gloves made of: Nitrile rubber. Thickness: > 0.28 mm Neoprene. Thickness: > 0.54 mm Rubber (natural, latex). Thickness: > 0.48 mm

#### Hygiene measures

Wash hands thoroughly after handling. Wash contaminated clothing before reuse.

## SECTION 9: Physical and Chemical Properties

### 9.1. Information on basic physical and chemical properties

## WASH & WAX

<b>Appearance</b>	Viscous liquid.
<b>Colour</b>	Blue.
<b>Odour</b>	Pleasant, agreeable.
<b>pH</b>	pH (concentrated solution): 9.1
<b>Relative density</b>	1.02 @ 25°C
<b>Solubility(ies)</b>	Soluble in water.

### 9.2. Other information

<b>Other information</b>	Not determined.
--------------------------	-----------------

## SECTION 10: Stability and reactivity

### 10.1. Reactivity

<b>Reactivity</b>	There are no known reactivity hazards associated with this product.
-------------------	---

### 10.2. Chemical stability

<b>Stability</b>	Stable at normal ambient temperatures and when used as recommended.
------------------	---

### 10.3. Possibility of hazardous reactions

<b>Possibility of hazardous reactions</b>	Not determined.
---	-----------------

### 10.4. Conditions to avoid

<b>Conditions to avoid</b>	There are no known conditions that are likely to result in a hazardous situation.
----------------------------	---

### 10.5. Incompatible materials

<b>Materials to avoid</b>	No specific material or group of materials is likely to react with the product to produce a hazardous situation.
---------------------------	--

### 10.6. Hazardous decomposition products

<b>Hazardous decomposition products</b>	Thermal decomposition or combustion products may include the following substances: Ammonia or amines. Carbon monoxide (CO). Carbon dioxide (CO <sub>2</sub> ). Nitrous gases (NO <sub>x</sub> ). Sulphurous gases (SO <sub>x</sub> ).
---	---

## SECTION 11: Toxicological information

### 11.1. Information on toxicological effects

#### Acute toxicity - oral

<b>ATE oral (mg/kg)</b>	5,863.36
-------------------------	----------

#### Acute toxicity - dermal

<b>ATE dermal (mg/kg)</b>	76,147.83
---------------------------	-----------

<b>Ingestion</b>	Gastrointestinal symptoms, including upset stomach.
------------------	---

<b>Skin contact</b>	Prolonged contact may cause redness, irritation and dry skin.
---------------------	---

<b>Eye contact</b>	Causes serious eye damage.
--------------------	----------------------------

### Toxicological information on ingredients.

Amides, C8-18 (even numbers) and C18-unsatd, N,N-bis(hydroxyethyl)

#### Acute toxicity - oral

**WASH & WAX**

Acute toxicity oral (LD<sub>50</sub> 5,000.0  
mg/kg)

Species Rat

ATE oral (mg/kg) 5,000.0

Acute toxicity - dermal

Acute toxicity dermal (LD<sub>50</sub> 2,000.0  
mg/kg)

Species Rat

ATE dermal (mg/kg) 2,000.0

Alcohols, C12-C14 (even numbered), ethoxylated<2.5EO, sulphates, sodium saltsAcute toxicity - oral

Acute toxicity oral (LD<sub>50</sub> 2,001.0  
mg/kg)

Species Rat

Notes (oral LD<sub>50</sub>)

ATE oral (mg/kg) 2,001.0

Acute toxicity - dermal

Acute toxicity dermal (LD<sub>50</sub> 2,001.0  
mg/kg)

Species Rat

ATE dermal (mg/kg) 2,001.0

COCO AMIDO PROPYL BETAINEAcute toxicity - oral

Acute toxicity oral (LD<sub>50</sub> 5,000.0  
mg/kg)

Species Rat

2,2'-IMINODIETHANOLAcute toxicity - oral

Acute toxicity oral (LD<sub>50</sub> 1,600.0  
mg/kg)

Species Rat

ATE oral (mg/kg) 500.0

Carcinogenicity

IARC carcinogenicity IARC Group 2B Possibly carcinogenic to humans.

GLYCERINEAcute toxicity - oral



## WASH & WAX

**Acute toxicity oral (LD<sub>50</sub> mg/kg)** 2,001.0

**Species** Rat

**Acute toxicity - dermal**

**Acute toxicity dermal (LD<sub>50</sub> mg/kg)** 1,000.0

**Species** Rabbit

### SECTION 12: Ecological Information

**Ecotoxicity** Harmful to aquatic life with long lasting effects.

**12.1. Toxicity**

**Acute aquatic toxicity**

**Acute toxicity - fish** Not determined.

**Ecological information on ingredients.**

**Amides, C8-18 (even numbers) and C18-unsatd, N,N-bis(hydroxyethyl)**

**Acute aquatic toxicity**

**Acute toxicity - aquatic invertebrates** EC<sub>50</sub>, : 3.2 mg/l, Daphnia magna

**Acute toxicity - aquatic plants** IC<sub>50</sub>, : 3.9 mg/l,

**Chronic aquatic toxicity**

**Chronic toxicity - aquatic invertebrates** NOEC, 21 days: 0.07 mg/l, Daphnia magna

**Alcohols, C12-C14 (even numbered), ethoxylated<2.5EO, sulphates, sodium salts**

**Acute aquatic toxicity**

**Acute toxicity - fish** LC<sub>50</sub>, 96 hours: 7.1 mg/l, Brachydanio rerio (Zebra Fish)

**Acute toxicity - aquatic invertebrates** EC<sub>50</sub>, 48 hours: 7.4 mg/l, Daphnia magna

**Acute toxicity - aquatic plants** EC<sub>50</sub>, 72 hours: 27 mg/l, Scenedesmus subspicatus

**COCO AMIDO PROPYL BETAINE**

**Acute aquatic toxicity**

**Acute toxicity - fish** LC<sub>50</sub>, 96 hours: 1.11 mg/l, Pimephales promelas (Fat-head Minnow)  
LC<sub>50</sub>, 96 hours: 1.1 mg/l, Cyprinodon variegatus (Sheepshead minnow)

**Acute toxicity - aquatic invertebrates** EC<sub>50</sub>, 48 hours: 1.9 mg/l, Freshwater invertebrates  
EC<sub>50</sub>, : 0.3 mg/l, Freshwater invertebrates  
EC<sub>50</sub>, 48 hours: 21.5 mg/l mg/l, Daphnia magna

**Acute toxicity - aquatic plants** EC<sub>50</sub>, 48 hours: 30.0 mg/l, Marinewater algae

**2,2'-IMINODIETHANOL**

## WASH & WAX

### Acute aquatic toxicity

**Acute toxicity - fish** LC50, 96 hours: > 100 mg/l, Pimephales promelas (Fat-head Minnow)

**Acute toxicity - aquatic invertebrates** EC<sub>50</sub>, 48 hours: > 10 - 100 mg/l, Daphnia magna

### Chronic aquatic toxicity

**Chronic toxicity - aquatic invertebrates** NOEC, 21 days: 0.78 mg/l, Daphnia magna

## GLYCERINE

### Acute aquatic toxicity

**Acute toxicity - fish** LC50, 96 hours: 54000 mg/l, Oncorhynchus mykiss (Rainbow trout)

**Acute toxicity - aquatic invertebrates** EC<sub>50</sub>, >: > 10000 mg/l, Daphnia magna

**Acute toxicity - aquatic plants** EC<sub>50</sub>, 72 hours: > 2900 mg/l, Freshwater algae

**Acute toxicity - microorganisms** EC<sub>50</sub>, >: > 1000 mg/l, Activated sludge

### 12.2. Persistence and degradability

**Persistence and degradability** The product is expected to be biodegradable.

### 12.3. Bioaccumulative potential

**Bioaccumulative potential** The product does not contain any substances expected to be bioaccumulating.

### 12.4. Mobility in soil

**Mobility** Soluble in water.

### 12.5. Results of PBT and vPvB assessment

**Results of PBT and vPvB assessment** This product does not contain any substances classified as PBT or vPvB.

### 12.6. Other adverse effects

**Other adverse effects** Not determined.

## SECTION 13: Disposal considerations

### 13.1. Waste treatment methods

**Disposal methods** Disposal of this product, process solutions, residues and by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any local authority requirements.

## SECTION 14: Transport information

**General** The product is not covered by international regulations on the transport of dangerous goods (IMDG, IATA, ADR/RID).

### **Special Provisions note**

#### 14.1. UN number

Not applicable.

#### 14.2. UN proper shipping name

## WASH & WAX

Not applicable.

### 14.3. Transport hazard class(es)

#### Transport labels

No transport warning sign required.

### 14.4. Packing group

Not applicable.

### 14.5. Environmental hazards

#### Environmentally hazardous substance/marine pollutant

No.

### 14.6. Special precautions for user

Not applicable.

### 14.7. Transport in bulk according to Annex II of MARPOL and the IBC Code

Transport in bulk according to Not applicable.

Annex II of MARPOL 73/78

and the IBC Code

## SECTION 15: Regulatory information

### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

#### National regulations

Control of Substances Hazardous to Health Regulations 2002 (as amended).

#### EU legislation

Commission Regulation (EU) No 453/2010 of 20 May 2010.

Regulation (EC) No 1272/2008 of the European Parliament and of the Council of 16 December 2008 on classification, labelling and packaging of substances and mixtures (as amended).

Commission Regulation (EU) No 2015/830 of 28 May 2015.

Regulation (EC) No 648/2004 of the European Parliament and of the Council of 31 March 2004 on detergents (as amended).

#### Guidance

Workplace Exposure Limits EH40.

### 15.2. Chemical safety assessment

## SECTION 16: Other information

## WASH & WAX

<b>Abbreviations and acronyms used in the safety data sheet</b>	<p>ATE: Acute Toxicity Estimate.</p> <p>ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road.</p> <p>CAS: Chemical Abstracts Service.</p> <p>DNEL: Derived No Effect Level.</p> <p>GHS: Globally Harmonized System.</p> <p>IATA: International Air Transport Association.</p> <p>IMDG: International Maritime Dangerous Goods.</p> <p>LC<sub>50</sub>: Lethal Concentration to 50 % of a test population.</p> <p>PBT: Persistent, Bioaccumulative and Toxic substance.</p> <p>PNEC: Predicted No Effect Concentration.</p> <p>REACH: Registration, Evaluation, Authorisation and Restriction of Chemicals Regulation (EC) No 1907/2006.</p> <p>RID: European Agreement concerning the International Carriage of Dangerous Goods by Rail.</p> <p>vPvB: Very Persistent and Very Bioaccumulative.</p> <p>NOEC: No Observed Effect Concentration.</p> <p>EC<sub>50</sub>: 50% of maximal Effective Concentration.</p> <p>UN: United Nations.</p>
<b>Revision comments</b>	NOTE: Lines within the margin indicate significant changes from the previous revision.
<b>Revision date</b>	22/02/2018
<b>Revision</b>	2.2
<b>Supersedes date</b>	17/02/2016
<b>SDS number</b>	27112
<b>Hazard statements in full</b>	<p>H302 Harmful if swallowed.</p> <p>H312 Harmful in contact with skin.</p> <p>H315 Causes skin irritation.</p> <p>H318 Causes serious eye damage.</p> <p>H373 May cause damage to organs (Blood, Kidneys, Liver) through prolonged or repeated exposure.</p> <p>H411 Toxic to aquatic life with long lasting effects.</p> <p>H412 Harmful to aquatic life with long lasting effects.</p>

This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process. Such information is, to the best of the company's knowledge and belief, accurate and reliable as of the date indicated. However, no warranty, guarantee or representation is made to its accuracy, reliability or completeness. It is the user's responsibility to satisfy himself as to the suitability of such information for his own particular use.